

Amendments to the Claims:


This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claims 1-5 (canceled)

Claim 6 (original):

A compound represented by the Formula III:




wherein:

X is selected from the group consisting of CH₂, O, S, and NH;

Y is selected from the group consisting of CH₂, O, and S, provided that at least one of X and Y is CH₂, or X and Y together with the bond there-between form a cyclopropyl;

R² and R³ are independently selected from the group consisting of hydrogen, methyl, halogen, trifluoromethyl, and cyano; and

R⁴ is selected from the group consisting of



where R⁵ is selected from the group consisting of substituted and unsubstituted aryl, heteroaryl, cycloalkyl, heterocycloalkyl, O-R⁷, NR⁸R⁹, C₁-C₈ alkyl, and monocyclic heterocycloalkyl, R⁶ is selected from the group consisting of substituted and unsubstituted aryl, heteroaryl, cycloalkyl, heterocycloalkyl, alkenyl, O-R⁷, C(O)R⁷, NR⁸R⁹, C₂-C₈ alkyl, and monocyclic heterocycloalkyl, where R⁷ is selected from the group consisting of substituted and unsubstituted alkyl, cycloalkyl, heterocycloalkyl, aryl, and heteroaryl, R⁸ is selected from the group consisting of hydrogen and substituted and unsubstituted alkyl, and R⁹ is selected from the group consisting of substituted and unsubstituted alkyl, aryl, heteroaryl, cycloalkyl, and heterocycloalkyl;

or a pharmaceutically acceptable prodrug, pharmaceutically active metabolite, or pharmaceutically acceptable salt thereof.


Claim 7 (Original): A compound according to claim 6, wherein:

X is selected from the group consisting of CH₂, O, and S;

Y is selected from the group consisting of CH₂ and S, provided that at least one of X and Y is CH₂;

R² and R³ are independently selected from the group consisting of hydrogen, methyl, fluorine, and chlorine; and

R⁴ is selected from the group consisting of



where R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted aryl and heteroaryl;

or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

Claim 8 (Original): A compound according to claim 7, wherein R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted aryl; or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

9 (Original): A compound according to claim 7, wherein R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted heteroaryl; or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.


10. (Original): A compound according to claim 7, wherein:

X is CH₂;

Y is S;

R² and R³ are independently selected from the group consisting of hydrogen, methyl, fluorine, and chlorine; and

R⁴ is selected from the group consisting of



where R^5 and R^6 are each independently selected from the group consisting of substituted and unsubstituted aryl and heteroaryl;

or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

11. (Original): A compound according to claim 10, wherein R^5 and R^6 are each independently selected from the group consisting of substituted and unsubstituted aryl; or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

12. (Original): A compound selected from the group consisting of

N-(3,4,5-Trimethoxyphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(5-amino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl] benzamide;

N-(4-Isopropyl-3-methylphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(4-Isopropyl-3-methylphenyl)-3-[(5-amino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]benzamide;

N-(4-Isopropyl-3-methylphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-(2-Methylquinolin-6-yl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3-Isopropylphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3,5-Dibromo-4-methylphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(Quinolin-6-yl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-(5-Methylisoxazol-3-yl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(Pyridin-4-yl)methyl-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(1,3-Benzodioxyl-5-ylmethyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(2-Methoxybenzyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;
 N-(2-Phenylethyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;
 N-(2-Methoxyphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;
 N-[3-(N-Methyl-N-phenylamino)propyl]-3-[(5-methyl-1H-1,2,4-triazol-3-yl)sulfanylmethyl]benzamide;
 N-(1,3-Benzodioxyl-5-ylmethyl)-3-[(5-methyl-1H-1,2,4-triazol-3-yl)sulfanylmethyl]benzamide;
 N-[4-cyano-3-(trifluoromethyl)phenyl]-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;
 N-(3,3-Diphenylpropyl)-3-[[[(5-methyl-1H-1,2,4-triazol-3-yl)sulfanyl]methyl]benzamide;
 3-[[[(5-Methyl-1H-1,2,4-triazol-3-yl)-sulfonyl]methyl]-N-phenethylbenzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-isopropylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-trifluoromethyl-5-methoxyphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3,5-bis-trifluoromethylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-t-butylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(4-isopropylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(4-trifluoromethoxyphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3,5-dimethylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-(2-hydroxyethyl)phenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(4-dimethylaminophenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-trifluoromethylsulfonyl phenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-dimethylaminophenyl)-benzamide;
 3-[(5-Cyanoamino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]-N-(3,4,5-trimethoxyphenyl)benzamide;
 3-[(5-(Methoxycarbonylamino)-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]-N-(3,4,5-trimethoxyphenyl)benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(5-acetylamino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]
 benzamide;
 N-(4-Isopropyl-3-methylphenyl)-3-[(pyrazin-2-yl)methylsulfanyl]benzamide;
 N-(2-Methylquinolin-6-yl)-3-[(pyrazin-2-yl)methylsulfanyl]benzamide;
 N-(2-Methyl-quinolin-6-yl)-3-(pyridin-3-ylmethylsulfanyl)-benzamide dihydrochloride;
 N-(2-methyl-quinolin-6-yl)-3-[[5-(phenylamino)-2-H-pyrazol-3-yl]methylsulfanyl]
 benzamide;
 N-(3,4,5-trimethoxyphenyl)-3-[2-(5-phenylamino-2H-pyrazol-3-yl)ethyl]benzamide;
 3-[[5-((E)-2-(4-Hydroxy-3-methoxyphenyl)ethenyl)-2H-pyrazol-3-yl]methylsulfanyl]-N-(2-
 methylquinolin-6-yl)benzamide;
 3-[5-(2-(3,4-Dimethoxyphenyl)ethenyl)-2H-pyrazol-3-yl]methylsulfanyl]-N-(2-
 methylquinolin-6-yl)benzamide;
 3-(2-{5-[(E)-2-(3,4-Dimethoxyphenyl)ethenyl]-2H-pyrazol-3-yl}-ethyl)-N-(3-methyl-4-
 isopropylphenyl)-benzamide;
 4-Fluoro-3-[[5-((E)-1-propenyl)-2H-pyrazol-3-yl]methoxy]-N-[4-(pyrrolidin-1-yl)-3-
 trifluoromethylphenyl]benzamide;
 3-(2-{5-[(E)-2-(3,4-Dimethoxyphenyl)ethenyl]-2H-pyrazol-3-yl}-ethyl)-N-(3-methyl-4-
 isopropylphenyl)-benzamide;
 N-(4-Isopropyl-3-methyl-phenyl)-3-{2-[5-(4-(methylsulfamoyl)-phenylamino)-2H-pyrazol-3-
 yl]-ethyl}-benzamide;
 N-(2-Methylquinolin-6-yl)-3-[2-(5-phenylamino-2H-pyrazol-3-yl)ethyl]benzamide;
 N-(4-isopropyl-3-methylphenyl)-3-[2-(5-phenylamino-2H-pyrazol-3-yl)ethyl]benzamide;
 N-(4-Isopropyl-3-methyl-phenyl)-3-{2-[5-(6-methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]-
 ethyl}-benzamide;
 N-(4-Dimethylamino-3-trifluoromethylphenyl)-3-{2-[5-(6-methoxypyridin-3-yl)amino-2H-
 pyrazol-3-yl]ethyl}-benzamide;
 N-(6-Dimethylamino-5-trifluoromethylpyridin-3-yl)-3-{2-[5-(6-methoxypyridin-3-yl)amino-
 2H-pyrazol-3-yl]ethyl}-benzamide;
 N-(3,5-Dichloro-4-dimethylaminophenyl)-3-{2-[5-(6-methoxy-pyridin-3-yl)amino-2H-
 pyrazol-3-yl]ethyl}benzamide;
 3-{2-[5-(6-Methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]-ethyl}-N-(4-pyrrolidin-1-yl-3-
 trifluoromethylphenyl)benzamide;
 3-{2-[5-(6-Methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]-ethyl}-N-[4-(4-*t*-
 butoxycarbonylpiperazin-1-yl)-3-trifluoromethylphenyl]benzamide;

3-{2-[5-(6-Methoxypyridin-3-yl)amino]-2H-pyrazol-3-yl}ethyl}-N-(4-piperazin-1-yl-3-trifluoromethylphenyl)benzamide;

4-Fluoro-3-[[5-(pyridin-3-yl)amino-2H-pyrazol-3-yl]methoxy]-N-[[4-(pyrrolidin-1-yl)-3-trifluoromethylphenyl]benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-3-[2-(5-phenylamino-2-H-pyrazol-3-yl)-cyclopropyl]-benzamide;

3-[[3-[(E)-2-(4-hydroxy-3-methoxyphenyl)ethenyl]-1H-pyrazol-5-yl)methyl]amino]-N-(3-methyl-4-isopropylphenyl)benzamide;

3-[[5-[(E)-2-(4-hydroxy-3-methoxyphenyl)ethenyl]-1H-pyrazol-3-yl)methyl]amino]-N-phenyl)benzamide;

4-Fluoro-N-[4-(imidazol-1-yl)-3-trifluoromethylphenyl]-3-[5-(6-methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]methoxy]-benzamide;

4-Fluoro-3-[5-(6-methoxy-pyridin-3-yl)amino-2H-pyrazol-3-yl]methoxy-N-(4-pyrrolidin-1-yl-3-trifluoromethyl-phenyl)-benzamide;

4-Fluoro-3-[5-(6-methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]methoxy-N-(3-methoxy-5-trifluoromethyl-phenyl)-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-3-(Isoquinolin-4-yl)methoxy-benzamide;

3-(Isoquinolin-4-yl)methoxy-N-(3,4,5-trimethoxyphenyl)benzamide hydrochloride;

3-(Isoquinolin-4-yl)methoxy-N-(2-methyl-quinolin-6-yl)-benzamide hydrochloride;

3-(Isoquinolin-4-yl)methoxy-N-(2-methyl-4-methylsulfanyl-quinolin-6-yl)-benzamide hydrochloride;

3-(Pyridin-3-yl)methoxy-N-(3,4,5-trimethoxyphenyl)benzamide;

N-(Naphthalen-2-yl)-3-(pyridin-3-yl)methoxybenzamide;

N-(1-Allyl-1H-indol-5-yl)-3-(pyridin-3-yl)methoxy-benzamide;

3-(Pyridin-3-yl)methoxy-N-quinolin-6-yl-benzamide;

N-(2-Methyl-quinolin-6-yl)-3-(pyridin-3-yl)methoxy-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-4-fluoro-3-(Isoquinolin-4-yl)methoxy-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-4-methyl-3-(Isoquinolin-4-yl)methoxy-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-4-chloro-3-(Isoquinolin-4-yl)methoxy-benzamide;

3-(6-Aminopyridin-3-yl)methoxy-N-(4-Isopropyl-3-methyl-phenyl)benzamide;

3-(6-Aminopyridin-3-yl)methoxy-N-(2-methyl-quinolin-6-yl)-benzamide;

3-(6-Acetylaminopyridin-3-yl)methoxy-N-(2-methyl-quinolin-6-yl)-benzamide;

3-(6-Acetylaminopyridin-3-yl)methoxy-N-(4-isopropyl-3-methyl-phenyl)-benzamide;

4-Fluoro-N-(1,2,3,4-tetrahydroquinolin-6-yl)-3-(isoquinolin-4-yl-methoxy)-benzamide
bistrifluoroacetic acid salt;

N-(2,2-difluorobenzo[1,3]dioxol-4-yl-ethyl)-benzamide trifluoroacetic acid salt;

4-Fluoro-N-(2-methyl-1,2,3,4-tetrahydroquinolin-6-yl)-3-(isoquinolin-4-yl-methoxy)-
benzamide bistrifluoroacetic acid salt;

N'-{4-[3-(4-Isopropyl-3-methyl-phenylcarbamoyl)-phenoxy];

N-(4-Isopropyl-3-methyl-phenyl)-3-{1-[N'-(3-methoxy-benzylidene)-hydrazino]-isoquinolin-
4-ylmethoxy}-benzamide;

N-(3,5-Diallyl-4-methyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-benzamide;

N-(3,5-Dibromo-4-methyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-benzamide;

3-(Isoquinolin-4-ylmethoxy)-N-(5,5,8,8-tetramethyl-5,6,7,8-tetrahydro-naphthalen-2-yl)-
benzamide;

3-(Isoquinolin-4-ylmethoxy)-N-(3-trifluoromethoxy-phenyl)-benzamide;

N-(2,4-Dimethylquinolin-6-yl)-3-(isoquinolin-4-ylmethoxy)-benzamide;

3-(Isoquinolin-4-ylmethoxy)-benzoic acid N'-(4-trifluoromethyl-phenyl)-hydrazide;

N-Benzoyloxy-3-(isoquinolin-4-ylmethoxy)-benzamide;

3-(Isoquinolin-4-ylmethoxy)-benzoic acid N'-phenyl-hydrazide;

N-(5,7-dimethyl[1,8]naphthydrin-2-yl)-3-(isoquinolin-4-ylmethoxy)-benzamide;

3-(Isoquinolin-4-ylmethoxy)-N-(1,1,3,3-tetramethyl-1,3-dihydroisobenzofuran-5-yl)-
benzamide;

N-(3,5-Dichloro-4-pyrrolidin-1-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;

4-Fluoro-N-(4-morpholin-4-yl-3-trifluoromethyl-phenyl)-3-(pyridin-3-ylmethoxy)-
benzamide;

4-Fluoro-N-[4-(piperazin-1-yl)-3-trifluoromethylphenyl]-3-(pyridin-3-yl)methoxybenzamide;

4-Fluoro-N-(4-morpholin-4-yl-3-trifluoromethyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-
benzamide;

4-Fluoro-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-
benzamide;

4-Fluoro-N-(4-morpholin-4-yl-3-trifluoromethyl-phenyl)-3-(quinolin-3-ylmethoxy)-
benzamide;

4-Fluoro-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-3-(quinolin-3-ylmethoxy)-
benzamide;

N-(3,5-Dichloro-4-morpholin-4-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;

N-(3,5-Dichloro-4-piperazin-1-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;

4-Fluoro-N-[4-(piperazin-1-yl)-3-trifluoromethylphenyl]-3-(pyridin-3-yl)methoxybenzamide;
 4-Fluoro-N-(4-(imidazol-1-yl)-3-trifluoromethylphenyl)-3-(pyridin-3-yl)methoxybenzamide;
 4-Fluoro-N-(4-pyrazol-1-yl)-3-trifluoromethylphenyl)-3-(pyridin-3-ylmethoxy)-benzamide;
 4-Fluoro-3-(pyridin-3-ylmethoxy)-N-(4-[1,2,4]triazol-1-yl)-3-trifluoromethylphenyl)-
 benzamide;
 N-(3,5-Dichloro-4-imidazol-1-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;
 3-(5-Bromo-pyridin-3-ylmethoxy)-4-fluoro-N-(4-piperazin-1-yl)-3-trifluoromethylphenyl)-
 benzamide;
 3-(2-Isoquinolin-4-yl-ethyl)-N-phenyl-benzamide;
 3-(2-Isoquinolin-4-yl-ethyl)-N-(3,3,5-trimethyl-cyclohexyl)-benzamide;
 N-(4-Isopropyl-3-methyl-phenyl)-3-(2-isoquinolin-4-yl-ethyl)-benzamide;
 3-(2-Isoquinolin-4-yl-ethyl)-N-(2-methyl-quinolin-6-yl)-benzamide;
 N-(3,5-Dibromo-4-methyl-phenyl)-3-(2-isoquinolin-4-yl-ethyl)-benzamide;
 N-(4,6-Dimethyl-pyridin-2-yl)-3-(2-isoquinolin-4-yl-ethyl)-benzamide;
 2-Chloro-4-fluoro-N-(4-isopropyl-3-methyl-phenyl)-5-(2-isoquinolin-4-yl-ethyl)-benzamide;
 2,4-Difluoro-N-(4-isopropyl-3-methyl-phenyl)-5-(2-isoquinolin-4-yl-ethyl)-benzamide;
 2-Fluoro-N-(4-isopropyl-3-methyl-phenyl)-5-(2-isoquinolin-4-yl-ethyl)-benzamide;
 N-(2-Methyl-quinolin-6-yl)-3-(2-pyridin-3-yl-ethyl)-benzamide hydrochloride;
 N-(4-Isopropyl-3-methyl-phenyl)-3-(2-pyridin-3-yl-ethyl)-benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(3-bromo-4-methyl)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-3,5-bis(trifluoromethyl)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(4-hydroxy-3-methoxy)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(4-hydroxy-3-t-butyl)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-4-t-butylbenzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(4-phenoxy)benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-N'-[3,5-bis-
 (trifluoromethyl)phenyl]urea;
 N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-N'-(pyridin-3-yl)urea;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(3,5-di-t-butyl)
 benzamide;

3-Bromo-4-hydroxy-N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-benzamide;

N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-quinoline-6-carboxamide;

5-Fluoro-N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-indole-2-carboxamide;

N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-indole-6-carboxamide;

(R/S)-2-(2-methylphenyl)-N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]methyl}phenyl}butanamide;

3-*t*-Butyl-4-hydroxy-N-{3-[5-(6-methoxy-pyridin-3-ylamino)-2 H-pyrazol-3-ylmethylsulfanyl]-phenyl}-benzamide;

3-*t*-Butyl-4-hydroxy-N-[3-(pyridin-3-ylmethylsulfanyl)-phenyl]-benzamide;

3-*t*-Butyl-4-hydroxy-N-[3-(isoquinolin-4-ylmethylsulfanyl)-phenyl]-benzamide;

N-[3-(5-Bromo-pyridin-3-ylmethoxy)-phenyl]-3-*t*-butyl-4-hydroxy-benzamide;

4-Acetoxy-3-*t*-butyl-N-[3-(pyridin-3-ylmethoxy)phenyl]-benzamide;

4-Acetoxy-3-*t*-butyl-N-[3-(isoquinolin-4-ylmethoxy)phenyl]-benzamide;

3-*t*-Butyl-4-hydroxy-N-[3-(pyridin-3-ylmethoxy)-phenyl]-benzamide;

3-*t*-Butyl-4-hydroxy-N-[3-(isoquinolin-4-ylmethoxy)-phenyl]-benzamide;

1-[3-(pyridin-3-ylmethoxy)phenylcarbonyl]pyrrolidine;

4-[3-(pyridin-3-ylmethoxy)phenylcarbonyl]morpholine;

3-[(6-Methoxy-7-(2-methoxyethoxy)cinnolin-4-yl)sulfanylmethyl]-*N*-phenyl-benzamide;

3-[2-(6-Acetylamino-pyridin-3-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethylphenyl)-benzamide dihydrochloride;

3-[2-(6-Amino-pyridin-3-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-benzamide dihydrochloride;

3-[2-(3H-Imidazo[4,5-b]pyridin-6-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-benzamide dihydrochloride;

5-{2-[3-(Piperazin-1-yl-trifluoromethyl-phenylcarbonyl)-phenyl]-ethyl}-nicotinamide dihydrochloride;

5-{2-[3-(Piperazin-1-yl-trifluoromethyl-phenylcarbonyl)-phenyl]-ethyl}-nicotinic acid methyl ester dihydrochloride;

4-Fluoro-3-[2-(3H-imidazo[4,5-b]pyridin-6-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-benzamide dihydrochloride; and

4-Fluoro-3-(5-furan-2-yl-pyridin-3-ylmethoxy)-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-benzamide dihydrochloride;

or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or pharmaceutically active metabolite thereof or a pharmaceutically acceptable salt of said metabolite.


13. (Original): A compound selected from the group consisting of the compounds corresponding to Example B-27 (Compounds 1-244), Example V-6d (Compounds 1-176), Example V-7b (Compounds 1-43) and Example V-14 (Compounds 1-88), or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or pharmaceutically active metabolite thereof or a pharmaceutically acceptable salt of said metabolite.

Claims 14-20 (canceled).

Replacement Sheet

What is claimed:

6. A compound represented by the Formula III:




wherein:

X is selected from the group consisting of CH₂, O, S, and NH;

Y is selected from the group consisting of CH₂, O, and S, provided that at least one of X and Y is CH₂, or X and Y together with the bond there-between form a cyclopropyl;

R² and R³ are independently selected from the group consisting of hydrogen, methyl, halogen, trifluoromethyl, and cyano; and

R⁴ is selected from the group consisting of



where R⁵ is selected from the group consisting of substituted and unsubstituted aryl, heteroaryl, cycloalkyl, heterocycloalkyl, O-R⁷, NR⁸R⁹, C₁-C₈ alkyl, and monocyclic heterocycloalkyl, R⁶ is selected from the group consisting of substituted and unsubstituted aryl, heteroaryl, cycloalkyl, heterocycloalkyl, alkenyl, O-R⁷, C(O)R⁷, NR⁸R⁹, C₂-C₈ alkyl, and monocyclic heterocycloalkyl, where R⁷ is selected from the group consisting of substituted and unsubstituted alkyl, cycloalkyl, heterocycloalkyl, aryl, and heteroaryl, R⁸ is selected from the group consisting of hydrogen and substituted and unsubstituted alkyl, and R⁹ is selected from the group consisting of substituted and unsubstituted alkyl, aryl, heteroaryl, cycloalkyl, and heterocycloalkyl;

or a pharmaceutically acceptable prodrug, pharmaceutically active metabolite, or pharmaceutically acceptable salt thereof.


7. A compound according to claim 6, wherein:

X is selected from the group consisting of CH₂, O, and S;

Y is selected from the group consisting of CH₂ and S, provided that at least one of X and Y is CH₂;

R² and R³ are independently selected from the group consisting of hydrogen, methyl, fluorine, and chlorine; and

R⁴ is selected from the group consisting of



where R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted aryl and heteroaryl;

or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

8. A compound according to claim 7, wherein R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted aryl; or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

9. A compound according to claim 7, wherein R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted heteroaryl; or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.


10. A compound according to claim 7, wherein:

X is CH₂;

Y is S;

R² and R³ are independently selected from the group consisting of hydrogen, methyl, fluorine, and chlorine; and

R⁴ is selected from the group consisting of



where R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted aryl and heteroaryl;

or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

11. A compound according to claim 10, wherein R⁵ and R⁶ are each independently selected from the group consisting of substituted and unsubstituted aryl; or a pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof, or a pharmaceutically acceptable salt of said metabolite.

12. A compound selected from the group consisting of

N-(3,4,5-Trimethoxyphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(5-amino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl] benzamide;

N-(4-Isopropyl-3-methylphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(4-Isopropyl-3-methylphenyl)-3-[(5-amino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]benzamide;

N-(4-Isopropyl-3-methylphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-(2-Methylquinolin-6-yl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3-Isopropylphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3,5-Dibromo-4-methylphenyl)-3-[(pyrazin-2-yl)sulfanylmethyl]benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(3,4,5-Trimethoxyphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(Quinolin-6-yl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-(5-Methylisoxazol-3-yl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(Pyridin-4-yl)methyl-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(1,3-Benzodioxyl-5-ylmethyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl] benzamide;

N-(2-Methoxybenzyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-(2-Phenylethyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-(2-Methoxyphenyl)-3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]benzamide;

N-[3-(N-Methyl-N-phenylamino)propyl]-3-[(5-methyl-1H-1,2,4-triazol-3-yl)sulfanylmethyl]benzamide;

N-(1,3-Benzodioxyl-5-ylmethyl)-3-[(5-methyl-1H-1,2,4-triazol-3-yl)sulfanylmethyl]
 benzamide;
 N-[4-cyano-3-(trifluoromethyl)phenyl]-3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl-sulfanyl)
 methyl]benzamide;
 N-(3,3-Diphenylpropyl)-3-[(5-methyl-1H-1,2,4-triazol-3-yl)sulfanyl]methyl]benzamide;
 3-[(5-Methyl-1H-1,2,4-triazol-3-yl)-sulfonyl]methyl]-N-phenethylbenzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-isopropylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-trifluoromethyl-5-
 methoxyphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3,5-bis-trifluoromethylphenyl)-
 benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-t-butylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(4-isopropylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(4-trifluoromethoxyphenyl)-
 benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3,5-dimethylphenyl)-benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-(2-hydroxyethyl)phenyl)-
 benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(4-dimethylaminophenyl)-
 benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-trifluoromethylsulfonyl phenyl)-
 benzamide;
 3-[(1H-Pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]-N(3-dimethylaminophenyl)-
 benzamide;
 3-[(5-Cyanoamino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]-N-(3,4,5-trimethoxyphenyl)
 benzamide;
 3-[(5-(Methoxycarbonylamino)-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]-N-(3,4,5-
 trimethoxyphenyl)benzamide;
 N-(3,4,5-Trimethoxyphenyl)-3-[(5-acetylamino-2H-[1,2,4]triazol-3-yl)sulfanylmethyl]
 benzamide;
 N-(4-Isopropyl-3-methylphenyl)-3-[(pyrazin-2-yl)methylsulfanyl]benzamide;
 N-(2-Methylquinolin-6-yl)-3-[(pyrazin-2-yl)methylsulfanyl]benzamide;
 N-(2-Methyl-quinolin-6-yl)-3-(pyridin-3-ylmethylsulfanyl)-benzamide dihydrochloride;

N-(2-methyl-quinolin-6-yl)-3-[[5-(phenylamino)-2H-pyrazol-3-yl)methylsulfanyl]
 benzamide;
 N-(3,4,5-trimethoxyphenyl)-3-[2-(5-phenylamino-2H-pyrazol-3-yl)ethyl]benzamide;
 3-[[5-((E)-2-(4-Hydroxy-3-methoxyphenyl)ethenyl)-2H-pyrazol-3-yl)methylsulfanyl]-N-(2-
 methylquinolin-6-yl)benzamide;
 3-[5-(2-(3,4-Dimethoxyphenyl)ethenyl)-2H-pyrazol-3-yl)methylsulfanyl]-N-(2-
 methylquinolin-6-yl)benzamide;
 3-(2-{5-[(E)-2-(3,4-Dimethoxyphenyl)ethenyl]-2H-pyrazol-3-yl}-ethyl)-N-(3-methyl-4-
 isopropylphenyl)-benzamide;
 4-Fluoro-3-[[5-((E)-1-propenyl)-2H-pyrazol-3-yl)methoxy]-N-[4-(pyrrolidin-1-yl)-3-
 trifluoromethylphenyl]benzamide;
 3-(2-{5-[(E)-2-(3,4-Dimethoxyphenyl)ethenyl]-2H-pyrazol-3-yl}-ethyl)-N-(3-methyl-4-
 isopropylphenyl)-benzamide;
 N-(4-Isopropyl-3-methyl-phenyl)-3-[2-[5-(4-(methylsulfamoyl)-phenylamino)-2H-pyrazol-3-
 yl]-ethyl]-benzamide;
 N-(2-Methylquinolin-6-yl)-3-[2-(5-phenylamino-2H-pyrazol-3-yl)ethyl]benzamide;
 N-(4-isopropyl-3-methylphenyl)-3-[2-(5-phenylamino-2H-pyrazol-3-yl)ethyl]benzamide;
 N-(4-Isopropyl-3-methyl-phenyl)-3-[2-[5-(6-methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]-
 ethyl]-benzamide;
 N-(4-Dimethylamino-3-trifluoromethylphenyl)-3-[2-[5-(6-methoxypyridin-3-yl)amino-2H-
 pyrazol-3-yl]ethyl]-benzamide;
 N-(6-Dimethylamino-5-trifluoromethylpyridin-3-yl)-3-[2-[5-(6-methoxypyridin-3-yl)amino-
 2H-pyrazol-3-yl]ethyl]-benzamide;
 N-(3,5-Dichloro-4-dimethylaminophenyl)-3-[2-[5-(6-methoxy-pyridin-3-yl)amino-2H-
 pyrazol-3-yl]ethyl]benzamide;
 3-[2-[5-(6-Methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]-ethyl]-N-(4-pyrrolidin-1-yl-3-
 trifluoromethylphenyl)benzamide;
 3-[2-[5-(6-Methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]-ethyl]-N-[4-(4-*t*-
 butoxycarbonylpiperazin-1-yl)-3-trifluoromethylphenyl]benzamide;
 3-[2-[5-(6-Methoxypyridin-3-yl)amino]-2H-pyrazol-3-yl]ethyl]-N-(4-piperazin-1-yl-3-
 trifluoromethylphenyl)benzamide;
 4-Fluoro-3-[[5-(pyridin-3-yl)amino-2H-pyrazol-3-yl)methoxy]-N-[[4-(pyrrolidin-1-yl)-3-
 trifluoromethylphenyl]benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-3-[2-(5-phenylamino-2-H-pyrazol-3-yl)-cyclopropyl]-benzamide;

3-[(3-[(E)-2-(4-hydroxy-3-methoxyphenyl)ethenyl]-1H-pyrazol-5-yl)methyl]amino]-N-(3-methyl-4-isopropylphenyl)benzamide;

3-[(5-[(E)-2-(4-hydroxy-3-methoxyphenyl)ethenyl]-1H-pyrazol-3-yl)methyl]amino]-N-phenyl)benzamide;

4-Fluoro-N-[4-(imidazol-1-yl)-3-trifluoromethylphenyl]-3-[5-(6-methoxypyridin-3-yl)amino-2H-pyrazol-3-ylmethoxy]-benzamide;

4-Fluoro-3-[5-(6-methoxy-pyridin-3-yl)amino-2H-pyrazol-3-yl]methoxy-N-(4-pyrrolidin-1-yl-3-trifluoromethyl-phenyl)-benzamide;

4-Fluoro-3-[5-(6-methoxypyridin-3-yl)amino-2H-pyrazol-3-yl]methoxy-N-(3-methoxy-5-trifluoromethyl-phenyl)-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-3-(Isoquinolin-4-yl)methoxy-benzamide;

3-(Isoquinolin-4-yl)methoxy-N-(3,4,5-trimethoxyphenyl)benzamide hydrochloride;

3-(Isoquinolin-4-yl)methoxy-N-(2-methyl-quinolin-6-yl)-benzamide hydrochloride;

3-(Isoquinolin-4-yl)methoxy-N-(2-methyl-4-methylsulfanyl-quinolin-6-yl)-benzamide hydrochloride;

3-(Pyridin-3-yl)methoxy-N-(3,4,5-trimethoxyphenyl)benzamide;

N-(Naphthalen-2-yl)-3-(pyridin-3-yl)methoxybenzamide;

N-(1-Allyl-1H-indol-5-yl)-3-(pyridin-3-yl)methoxy-benzamide;

3-(Pyridin-3-yl)methoxy-N-quinolin-6-yl-benzamide;

N-(2-Methyl-quinolin-6-yl)-3-(pyridin-3-yl)methoxy-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-4-fluoro-3-(Isoquinolin-4-yl)methoxy-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-4-methyl-3-(Isoquinolin-4-yl)methoxy-benzamide;

N-(4-Isopropyl-3-methyl-phenyl)-4-chloro-3-(Isoquinolin-4-yl)methoxy-benzamide;

3-(6-Aminopyridin-3-yl)methoxy-N-(4-Isopropyl-3-methyl-phenyl)benzamide;

3-(6-Aminopyridin-3-yl)methoxy-N-(2-methyl-quinolin-6-yl)-benzamide;

3-(6-Acetylaminopyridin-3-yl)methoxy-N-(2-methyl-quinolin-6-yl)-benzamide;

3-(6-Acetylaminopyridin-3-yl)methoxy-N-(4-isopropyl-3-methyl-phenyl)-benzamide;

4-Fluoro-N-(1,2,3,4-tetrahydroquinolin-6-yl)-3-(isoquinolin-4-yl-methoxy)-benzamide bistrifluoroacetic acid salt;

N-(2,2-difluorobenzo[1,3]dioxol-4-yl-ethyl)-benzamide trifluoroacetic acid salt;

4-Fluoro-N-(2-methyl-1,2,3,4-tetrahydroquinolin-6-yl)-3-(isoquinolin-4-yl-methoxy)-benzamide bistrifluoroacetic acid salt;

N'-{4-[3-(4-Isopropyl-3-methyl-phenylcarbamoyl)-phenoxy];
 N-(4-Isopropyl-3-methyl-phenyl)-3-{1-[N'-(3-methoxy-benzylidene)-hydrazino]-isoquinolin-4-ylmethoxy}-benzamide;
 N-(3,5-Diallyl-4-methyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-benzamide;
 N-(3,5-Dibromo-4-methyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-benzamide;
 3-(Isoquinolin-4-ylmethoxy)-N-(5,5,8,8-tetramethyl-5,6,7,8-tetrahydro-naphthalen-2-yl)-benzamide;
 3-(Isoquinolin-4-ylmethoxy)-N-(3-trifluoromethoxy-phenyl)-benzamide;
 N-(2,4-Dimethylquinolin-6-yl)-3-(isoquinolin-4-ylmethoxy)-benzamide;
 3-(Isoquinolin-4-ylmethoxy)-benzoic acid N'-(4-trifluoromethyl-phenyl)-hydrazide;
 N-Benzoyloxy-3-(isoquinolin-4-ylmethoxy)-benzamide;
 3-(Isoquinolin-4-ylmethoxy)-benzoic acid N'-phenyl-hydrazide;
 N-(5,7-dimethyl[1,8]naphthydrin-2-yl)-3-(isoquinolin-4-ylmethoxy)-benzamide;
 3-(Isoquinolin-4-ylmethoxy)-N-(1,1,3,3-tetramethyl-1,3-dihydroisobenzofuran-5-yl)-benzamide;
 N-(3,5-Dichloro-4-pyrrolidin-1-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;
 4-Fluoro-N-(4-morpholin-4-yl-3-trifluoromethyl-phenyl)-3-(pyridin-3-ylmethoxy)-benzamide;
 4-Fluoro-N-[4-(piperazin-1-yl)-3-trifluoromethylphenyl]-3-(pyridin-3-yl)methoxybenzamide;
 4-Fluoro-N-(4-morpholin-4-yl-3-trifluoromethyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-benzamide;
 4-Fluoro-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-3-(isoquinolin-4-ylmethoxy)-benzamide;
 4-Fluoro-N-(4-morpholin-4-yl-3-trifluoromethyl-phenyl)-3-(quinolin-3-ylmethoxy)-benzamide;
 4-Fluoro-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-3-(quinolin-3-ylmethoxy)-benzamide;
 N-(3,5-Dichloro-4-morpholin-4-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;
 N-(3,5-Dichloro-4-piperazin-1-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;
 4-Fluoro-N-[4-(piperazin-1-yl)-3-trifluoromethylphenyl]-3-(pyridin-3-yl)methoxybenzamide;
 4-Fluoro-N-(4-(imidazol-1-yl)-3-trifluoromethylphenyl)-3-(pyridin-3-yl)methoxybenzamide;
 4-Fluoro-N-(4-pyrazol-1-yl-3-trifluoromethyl-phenyl)-3-(pyridin-3-ylmethoxy)-benzamide;
 4-Fluoro-3-(pyridin-3-ylmethoxy)-N-(4-[1,2,4]triazol-1-yl-3-trifluoromethyl-phenyl)-benzamide;

N-(3,5-Dichloro-4-imidazol-1-yl-phenyl)-4-fluoro-3-(pyridin-3-ylmethoxy)-benzamide;
 3-(5-Bromo-pyridin-3-ylmethoxy)-4-fluoro-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-
 benzamide;
 3-(2-Isoquinolin-4-yl-ethyl)-N-phenyl-benzamide;
 3-(2-Isoquinolin-4-yl-ethyl)-N-(3,3,5-trimethyl-cyclohexyl)-benzamide;
 N-(4-Isopropyl-3-methyl-phenyl)-3-(2-isoquinolin-4-yl-ethyl)-benzamide;
 3-(2-Isoquinolin-4-yl-ethyl)-N-(2-methyl-quinolin-6-yl)-benzamide;
 N-(3,5-Dibromo-4-methyl-phenyl)-3-(2-isoquinolin-4-yl-ethyl)-benzamide;
 N-(4,6-Dimethyl-pyridin-2-yl)-3-(2-isoquinolin-4-yl-ethyl)-benzamide;
 2-Chloro-4-fluoro-N-(4-isopropyl-3-methyl-phenyl)-5-(2-isoquinolin-4-yl-ethyl)-benzamide;
 2,4-Difluoro-N-(4-isopropyl-3-methyl-phenyl)-5-(2-isoquinolin-4-yl-ethyl)-benzamide;
 2-Fluoro-N-(4-isopropyl-3-methyl-phenyl)-5-(2-isoquinolin-4-yl-ethyl)-benzamide;
 N-(2-Methyl-quinolin-6-yl)-3-(2-pyridin-3-yl-ethyl)-benzamide hydrochloride;
 N-(4-Isopropyl-3-methyl-phenyl)-3-(2-pyridin-3-yl-ethyl)-benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(3-bromo-4-methyl)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-3,5-bis(trifluoromethyl)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(4-hydroxy-3-methoxy)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(4-hydroxy-3-t-butyl)
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-4-t-butylbenzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(4-phenoxy)benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-N'-[3,5-bis-
 (trifluoromethyl)phenyl]urea;
 N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-N'-(pyridin-3-yl)urea;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-(3,5-di-t-butyl)
 benzamide;
 3-Bromo-4-hydroxy-N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-
 benzamide;
 N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-quinoline-6-carboxamide;
 5-Fluoro-N-{3-[(1H-pyrazolo[3,4-d]-pyrimidin-4-yl)sulfanylmethyl]phenyl}-indole-2-
 carboxamide;

N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-yl)sulfanylmethyl]phenyl}-indole-6-carboxamide;
 (R/S)-2-(2-methylphenyl)-N-{3-[(1H-pyrazolo[3,4-d]pyrimidin-4-ylsulfanyl)methyl)methyl]
 phenyl}butanamide;
 3-*t*-Butyl-4-hydroxy-N-{3-[5-(6-methoxy-pyridin-3-ylamino)-2 H-pyrazol-3-ylmethyl
 sulfanyl]-phenyl}-benzamide;
 3-*t*-Butyl-4-hydroxy-N-[3-(pyridin-3-ylmethylsulfanyl)-phenyl]-benzamide;
 3-*t*-Butyl-4-hydroxy-N-[3-(isoquinolin-4-ylmethylsulfanyl)-phenyl]-benzamide;
 N-[3-(5-Bromo-pyridin-3-ylmethoxy)-phenyl]-3-*t*-butyl-4-hydroxy-benzamide;
 4-Acetoxy-3-*t*-butyl-N-[3-(pyridin-3-ylmethoxy)phenyl]-benzamide;
 4-Acetoxy-3-*t*-butyl-N-[3-(isoquinolin-4-ylmethoxy)phenyl]-benzamide;
 3-*t*-Butyl-4-hydroxy-N-[3-(pyridin-3-ylmethoxy)-phenyl]-benzamide;
 3-*t*-Butyl-4-hydroxy-N-[3-(isoquinolin-4-ylmethoxy)-phenyl]-benzamide;
 1-[3-(pyridin-3-ylmethoxy)phenylcarbonyl]pyrrolidine;
 4-[3-(pyridin-3-ylmethoxy)phenylcarbonyl]morpholine;
 3-[[6-Methoxy-7-(2-methoxyethoxy)cinnolin-4-yl]sulfanylmethyl]-*N*-phenyl-benzamide;
 3-[2-(6-Acetylamino-pyridin-3-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethylphenyl)-
 benzamide dihydrochloride;
 3-[2-(6-Amino-pyridin-3-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-benzamide
 dihydrochloride;
 3-[2-(3H-Imidazo[4,5-b]pyridin-6-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethyl-phenyl)-
 benzamide dihydrochloride;
 5-{2-[3-(Piperazin-1-yl-trifluoromethyl-phenylcarbonyl)-phenyl]-ethyl}-nicotinamide
 dihydrochloride;
 5-{2-[3-(Piperazin-1-yl-trifluoromethyl-phenylcarbonyl)-phenyl]-ethyl}-nicotinic acid
 methyl ester dihydrochloride;
 4-Fluoro-3-[2-(3H-imidazo[4,5-b]pyridin-6-yl)-ethyl]-N-(4-piperazin-1-yl-3-trifluoromethyl-
 phenyl)-benzamide dihydrochloride; and
 4-Fluoro-3-(5-furan-2-yl-pyridin-3-ylmethoxy)-N-(4-piperazin-1-yl-3-trifluoromethyl-
 phenyl)-benzamide dihydrochloride;
 or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or
 pharmaceutically active metabolite thereof or a pharmaceutically acceptable salt of said
 metabolite.

13. A compound selected from the group consisting of the compounds corresponding to
 Example B-27 (Compounds 1-244), Example V-6d (Compounds 1-176), Example V-7b

(Compounds 1-43) and Example V-14 (Compounds 1-88), or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or pharmaceutically active metabolite thereof or a pharmaceutically acceptable salt of said metabolite.